Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	46	24.6	26.0
2	Lymphoid, haematopietic & related tissue (C81-C96)	20	10.7	11.3
3	Colon, sigmoid, rectum & anus (C18-C21)	20	10.7	11.3
4	Trachea, bronchus & lung (C33, C34)	16	8.6	9.0
5	Stomach (C16)	9	4.8	5.1
6	Larynx	7	3.7	4.0
	Total Leading Cancer Deaths	118	63.1	66.7
	Total Cancer Deaths, All Sites	187	100.0	105.8
	Benign Neoplasms (D00-D48)	4		2.3

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	56	29.8	29.6
2	Cervix (C53)	16	8.5	8.5
3	Colon, sigmoid, rectum & anus (C18-C21)	14	7.4	7.4
4	Lymphoid, haematopietic & related tissue (C81-C96)	14	7.4	7.4
5	Ovary (C56)	11	5.9	5.8
6	Stomach	9	4.8	4.8
	Total Leading Cancer Deaths	120	63.8	63.5
	Total Cancer Deaths, All Sites	188	100.0	99.4
	Benign Neoplasms (D00-D48)	9		4.8

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Female breast (C50) ¹	56	14.4	15.3
2	Prostate (C61) ¹	46	11.9	12.6
5	Colon, sigmoid, rectum & anus (C18-C21)	34	8.8	9.3
4	Lymphoid, haematopietic & related tissue (C81-C96)	34	8.8	9.3
5	Stomach (C16)	18	4.6	4.9
6	Cervix (C53)	17	4.4	4.6
	Total Leading Cancer Deaths	149	38.4	40.7
	Total Cancer Deaths, All Sites	388	100.0	106.0
	Benign Neoplasms (D00-D48)	13		3.6

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate and breast cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	42	22.5	24.0
2	Colon, sigmoid, rectum & anus (C18-C21)	30	16.0	17.1
3	Lymphoid, haematopietic & related tissue (C81-C96)	18	9.6	10.3
4	Trachea, bronchus & lung (C33, C34)	14	7.5	8.0
5	Stomach (C16)	12	6.4	6.9
6	Pancreas	8	4.3	4.6
	Total Leading Cancer Deaths	124	66.3	70.8
	Total Cancer Deaths, All Sites	187	100.0	106.8
	Benign Neoplasms (D00-D48)	4		2.3

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	63	33.5	33.7
2	Cervix (C53)	39	20.7	20.8
3	Colon, sigmoid, rectum & anus (C18-C21)	23	12.2	12.3
4	Cervix (C53)	14	7.4	7.5
5	Trachea, bronchus & lung (C33, C34)	10	5.3	5.3
6	Ovary (C56)	10	5.3	5.3
	Total Leading Cancer Deaths	159	84.6	85.0
	Total Cancer Deaths, All Sites	188	100.0	100.5
	Benign Neoplasms (D00-D48)	9		4.8

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Female breast (C50)1	65	16.8	17.9
2	Colon, sigmoid, rectum & anus (C18-C21)	53	13.7	14.6
3	Prostate (C61)	42	10.8	11.6
4	Lymphoid, haematopietic & related tissue (C81-C96)	32	8.2	8.8
5	Stomach	23	5.9	6.3
6	Cervix (C53)	23	5.9	6.3
	Total Leading Cancer Deaths	238	61.3	65.7
	Total Cancer Deaths, All Sites	388	100.0	107.1
	Benign Neoplasms (D00-D48)	13		3.6

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate and breast cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	61	32.6	351.7
2	Colon, sigmoid, rectum & anus (C18-C21)	20	10.7	115.3
3	Lymphoid, haematopietic & related tissue (C81-C96)	17	9.1	98.0
3	Trachea, bronchus & lung (C33, C34)	16	8.6	92.2
5	Oesophagus (C15)	7	3.7	40.4
6	Stomach (C16)	5	2.7	28.8
	Total Leading Cancer Deaths	126	67.4	726.4
	Total Cancer Deaths, All Sites	187	100.0	1,078.1
	Benign Neoplasms (D00-D48)	4		23.1

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	53	28.2	28.6
2	Lymphoid, haematopietic & related tissue (C81-C96)	19	10.1	10.3
3	Cervix (C53)	17	9.0	9.2
4	Colon, sigmoid, rectum & anus (C18-C21)	13	6.9	7.0
5	Ovary (C56)	12	6.4	6.5
6	Trachea, bronchus & lung (C33, C34)	8	4.3	4.3
	Total Leading Cancer Deaths	122	64.9	65.9
	Total Cancer Deaths, All Sites	188	100.0	101.5
	Benign Neoplasms (D00-D48)	9		4.9

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Prostate (C61) ¹	61	15.7	171.3
2	Female breast (C50) ¹	54	13.9	151.7
3	Lymphoid, haematopietic & related tissue (C81-C96)	36	9.3	101.1
4	Colon, sigmoid, rectum & anus (C18-C21)	33	8.5	92.7
5	Ovary (C56)	27	7.0	75.8
6	Trachea, bronchus & lung (C33, C34)	24	6.2	67.4
	Total Leading Cancer Deaths	235	60.6	660.1
	Total Cancer Deaths, All Sites	388	100.0	1,089.9
	Benign Neoplasms (D00-D48)	13		36.5

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate and breast cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	52	27.8	30.3
2	Trachea, bronchus & lung (C33, C34)	27	14.4	15.7
3	Colon, sigmoid, rectum & anus (C18-C21)	22	11.8	12.8
4	Lymphoid, haematopietic & related tissue (C81-C96)	18	9.6	10.5
5	Stomach (C16)	14	7.5	8.1
6	Oesophagus (C15)	9	4.8	5.2
	Total Leading Cancer Deaths	142	75.9	82.6
	Total Cancer Deaths, All Sites	187	100.0	108.8
	Benign Neoplasms (D00-D48)	4		2.3

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	60	31.9	32.7
2	Colon, sigmoid, rectum & anus (C18-C21)	20	10.6	10.9
3	Cervix (C53)	16	8.5	8.7
4	Lymphoid, haematopietic & related tissue (C81-C96)	9	4.8	4.9
5	Stomach (C16)	9	4.8	4.9
6	Trachea, bronchus & lung (C33, C34)	9	4.8	4.9
	Total Leading Cancer Deaths	123	65.4	67.1
	Total Cancer Deaths, All Sites	188	100.0	102.6
	Benign Neoplasms (D00-D48)	9		4.9

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Female breast (C50)1	61	15.7	35.5
2	Prostate (C61)1	52	13.4	30.3
3	Colon, sigmoid, rectum & anus (C18-C21)	42	10.8	24.4
4	Trachea, bronchus & lung (C33, C34)	36	9.3	21.0
5	Lymphoid, haematopietic & related tissue (C81-C96)	27	7.0	15.7
6	Stomach (C16)	23	5.9	13.4
	Total Leading Cancer Deaths	241	62.1	140.3
	Total Cancer Deaths, All Sites	388	100.0	225.8
	Benign Neoplasms (D00-D48)	13		7.6

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate and breast cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	47	25.1	27.3
2	Trachea, bronchus & lung (C33, C34)	24	12.8	13.9
3	Colon, sigmoid, rectum & anus (C18-C21)	19	10.2	11.0
3	Lymphoid, haematopietic & related tissue (C81-C96)	19	10.2	11.0
5	Oesophagus (C15)	14	7.5	8.1
6	Stomach (C16)	11	5.9	6.4
	Total Leading Cancer Deaths	134	71.7	77.7
	Total Cancer Deaths, All Sites	187	100.0	108.5
	Benign Neoplasms (D00-D48)	4		2.3

Leading Cancer Deaths Among Females, By Site All Bahamas, 2010

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	67	35.6	37.1
2	Lymphoid, haematopietic & related tissue (C81-C96)	17	9.0	9.4
3	Cervix (C53)	15	8.0	8.3
4	Trachea, bronchus & lung (C33, C34)	12	6.4	6.7
5	Colon, sigmoid, rectum & anus (C18-C21)	11	5.9	6.1
6	Ovary (C56)	7	3.7	3.9
	Total Leading Cancer Deaths	129	68.6	71.5
	Total Cancer Deaths, All Sites	188	100.0	104.2
	Benign Neoplasms (D00-D48)	9		5.0

Leading Cancer Deaths, Both Sexes, By Site All Bahamas, 2010

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Prostate (C61) ¹	67	17.3	38.9
2	Female breast (C50) ¹	47	12.1	26.1
3	Trachea, bronchus & lung (C33, C34)	36	9.3	10.2
3	Lymphoid, haematopietic & related tissue (C81-C96)	36	9.3	10.2
5	Colon, sigmoid, rectum & anus (C18-C21)	30	7.7	8.5
6	Stomach (C16)	17	4.4	4.8
	Total Leading Cancer Deaths	233	60.1	66.0
	Total Cancer Deaths, All Sites	388	100.0	110.0
	Benign Neoplasms (D00-D48)	13		3.7

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

 $^{^{\}rm 1}\,{\rm Prostate}$ and breast cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	47	25.7	28.2
2	Trachea, bronchus & lung (C33, C34)	20	10.9	12.0
2	Colon, sigmoid, rectum & anus (C18-C21)	20	10.9	12.0
4	Lymphoid, haematopietic & related tissue (C81-C96)	18	9.8	10.8
5	Stomach (C16)	9	4.9	5.4
6	Pancreas (C25)	8	4.4	4.8
6	Oesophagus (C15)	8	4.4	4.8
	Total Leading Cancer Deaths	130	71.0	77.9
	Total Cancer Deaths, All Sites	183	100.0	109.7
	Benign Neoplasms (D00-D48)	2		1.2

Leading Cancer Deaths Among Females, By Site All Bahamas, 2009

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	40	22.0	22.8
2	Lymphoid, haematopietic & related tissue (C81-C96)	20	11.0	11.4
2	Cervix (C53)	20	11.0	11.4
4	Colon, sigmoid, rectum & anus (C18-C21)	13	7.1	7.4
5	Ovary (C56)	12	6.6	6.8
6	Trachea, bronchus & lung (C33, C34)	11	6.0	6.3
	Total Leading Cancer Deaths	116	63.7	66.1
	Total Cancer Deaths, All Sites	182	100.0	103.6
	Benign Neoplasms (D00-D48)	2		1.1

Leading Cancer Deaths, Both Sexes, By Site All Bahamas, 2009

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Prostate (C61) ¹	47	12.9	28.2
2	Female breast (C50) ¹	40	11.0	22.8
3	Lymphoid, haematopietic & related tissue (C81-C96)	38	10.4	11.1
4	Colon, sigmoid, rectum & anus (C18-C21)	33	9.0	9.6
5	Trachea, bronchus & lung (C33, C34)	31	8.5	9.1
6	Cervix (C53) ¹	20	5.5	11.4
	Total Leading Cancer Deaths	209	57.3	61.0
	Total Cancer Deaths, All Sites	365	100.0	106.6
	Benign Neoplasms (D00-D48)	4		1.2

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate, breast, and cervical cancer rates are sex-specific.

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Males
1	Prostate (C61)	59	40.4	35.8
2	Trachea, bronchus & lung (C33, C34)	23	15.8	14.0
2	Colon, sigmoid, rectum & anus (C18-C21)	23	15.8	14.0
4	Lymphoid, haematopietic & related tissue (C81-C96)	10	6.8	6.1
5	Stomach (C16)	9	6.2	5.5
6	Brain (C71)	5	3.4	3.0
7	Pancreas (C25)	4	2.7	2.4
	Total Leading Cancer Deaths	133	91.1	80.7
	Total Cancer Deaths, All Sites	146	100.0	88.6
	Benign Neoplasms (D00-D48)	1		0.6

Leading Cancer Deaths Among Females, By Site All Bahamas, 2008

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Females
1	Female breast (C50)	44	28.2	25.4
2	Lymphoid, haematopietic & related tissue (C81-C96)	28	17.9	16.1
3	Colon, sigmoid, rectum & anus (C18-C21)	21	13.5	12.1
4	Ovary (C56)	18	11.5	10.4
5	Cervix (C53)	9	5.8	5.2
6	Trachea, bronchus & lung (C33, C34)	7	4.5	4.0
6	Brain (C71)	7	4.5	4.0
	Total Leading Cancer Deaths	134	85.9	77.2
	Total Cancer Deaths, All Sites	156	100.0	89.9
	Benign Neoplasms (D00-D48)	3		1.7

Leading Cancer Deaths, Both Sexes, By Site All Bahamas, 2008

Rank	Site (ICD 10 Code)	Number of Deaths	% Cancer Deaths	Rate Per 100,000 Persons
1	Prostate (C61) ¹	59	19.5	35.8
2	Female breast (C50) ¹	44	14.6	25.4
2	Colon, sigmoid, rectum & anus (C18-C21)	44	14.6	13.0
4	Lymphoid, haematopietic & related tissue (C81-C96)	38	12.6	11.2
5	Trachea, bronchus & lung (C33, C34)	30	9.9	8.9
6	Ovary (C56) ¹	18	6.0	10.4
7	Stomach (C16)	13	4.3	3.8
8	Brain (C71)	12	4.0	3.5
	Total Leading Cancer Deaths	258	85.4	76.3
	Total Cancer Deaths, All Sites	302	100.0	89.3
	Benign Neoplasms (D00-D48)	4		1.2

Based on PAHO's Standard List for Leading Causes of Death, 2006 (ICD10)

Source: Department of Statistics

¹ Prostate, breast, and ovary cancer rates are sex-specific.